

PLEASE DO NOT START CONSTRUCTION UNTIL PERMIT IS RECEIVED IN MAIL!

55-183 7/98

PERMIT TO BE
PRINTED OR TYPED

STATE OF WEST VIRGINIA
Mineral County HEALTH DEPARTMENT Permit No. ST-29-23-33
ON-SITE SEWAGE DISPOSAL SYSTEM PERMIT Tax Map 4-23A Parcel # 44
County Road No. _____

Owner: Douglas E. Ahmuty Certified Installer: Robert M. Seib
Address: 240 Apple Tree Dr Address: 94 Hickman Ln
Keyser, WV 26726 Fort Ashby, WV 26719

You are hereby issued a permit to: install, or modify an on-site sewage disposal system located:
Waxler Rd to Apple Tree Dr, second lot on Right.

Facility: Residence Design Flow: 300 Lot Size: 2.12 Sq. Ft./Acres Water Source: Public

BASED UPON REVIEW OF THE INFORMATION OF YOUR SUBMITTED APPLICATION, DATED 4-10-23, AND THE PROPER INSTALLATION OF THE HEREIN DESCRIBED SYSTEM, THE SYSTEM SHALL BE IN COMPLIANCE WITH APPLICABLE WEST VIRGINIA SEWAGE SYSTEM RULES AND DESIGN STANDARDS.

The sewage system shall consist of a:

- Septic tank - Capacity: 1000 gallons or more, Constructed of: Concrete
- Soil disposal system with a minimum equivalency of 900 square feet of conventional gravel trench area.
 - Depth to the bottom of the trench or bed installation shall be: 28" inches from original ground surface.
 - Gravel system: Length of lines: _____ feet, Width: 36" inches.
 - Chamber system: Number of units: _____, Length of lines: 90, 90 units, Manufacturer of chamber: _____
 - Bed system: Gravel, Chamber; Length: _____ feet, Width: _____ feet.
- Other: Please install with D-Box on leveled pad and spread levelers

This permit is non-transferable and automatically expires 12 months after issue date.

This permit is **NULL and VOID** when official inspection reveals conditions different than those stipulated on the permit or facts are later found that would indicate non-compliance with applicable rules.


All systems must be inspected and approved prior to being covered with earth or placed into use.

The applicant or his agent must notify this department: 48 hours or more prior to planned inspection time.

Issue Date: 4/18/2023

Mineral Co / 304-788-1321
County Office / Phone Number

Sketch of system:



Additional specifications on reverse:

John E. ...
Health Officer of Sanitation